



BASKETBALL/ INDOOR GYMNASIUM

INDOOR / OUTDOOR ATHLETIC EQUIPMENT



DESIGNED TO PERFORM.
MANUFACTURED TO LAST.™



2


0

2


2

ELITE 9600

8' Extension



153¼" L x 72" W x 81" H



Elite 9600 Portable Includes:



Rectangular Glass Backboard
with Direct Goal Mounting
42" x 72"



GBA-642 Adjustable
Breakaway Goal



2" thick Vinyl
Wrapping Padding



MBBP-6 Bolt-on Safety
Edge Padding



Ballast Weight
1,000 lbs

VINYL PAD COLORS:



RED



NAVY
BLUE



FOREST
GREEN



BLACK



ROYAL
BLUE



GRAY



MAROON



PURPLE



KELLY
GREEN



YELLOW



PINK



TAN



ORANGE




LIGHT
BLUE

ELITE 6600

5' 6" Extension



123¼"L x 72"W x 80¾"H



All Elite Series portables feature a spring assisted mechanism allowing easy operation and goal height adjustments. Each portable includes non-marking heavy-duty casters to easily transport, and easy set-up with adjustable front feet to level each unit.

Adjustable 8' - 10' goal height with pin stops every 6" for alternate playing heights. A durable white powder coat finish with padding available in 14 colors. Easily folds down to a compact storage position. Ballast weight of 800-1000 lbs. is included.

- 3 Year Limited Warranty on system



Flatbed tow truck, forklift or loading dock required to unload this system. Call for freight quote.

ELITE 9600 PORTABLE BACKSTOP

8' Extension PBEL96 (EACH)

ELITE 6600 PORTABLE BACKSTOP

5' 6" Extension PBEL66 (EACH)

Rear Anchor Kit *(see page 111 for details)*

Elite 6600 Portable Includes:



Rectangular Glass Backboard with Direct Goal Mounting
42" x 72"



GBA-642 Adjustable Breakaway Goal



2" thick Vinyl Wrapping Padding



MBBP-6 Bolt-on Safety Edge Padding



Ballast Weight 800 lbs

VINYL PAD
COLORS:



RED



NAVY
BLUE



FOREST
GREEN



BLACK



ROYAL
BLUE



GRAY



MAROON



PURPLE



KELLY
GREEN



YELLOW



PINK



TAN



ORANGE



LIGHT
BLUE

ELITE 5400

4' 6" Extension



110¾"L x 72"/54"W x 79¼"H



ELITE 5400 PORTABLE BACKSTOP

- PBEL54 Edge Pad colors: Scarlet Red, Gray, Black and Royal Blue only
- 3 Year Limited Warranty on system



Flatbed tow truck, forklift or loading dock required to unload this system. Call for freight quote.

4' 6" Extension

54" Backboard

PBEL54 (EACH)

72" Backboard

PBEL5472 (EACH)

Rear Anchor Kit

(see page 111 for details)

Elite 5400 Portable Includes:



Rectangular Glass Backboard
with Direct Goal Mounting
42" x 72" or 42" x 54"



GBA-642 Adjustable
Breakaway Goal



2" thick Vinyl
Wrapping Padding



MBBP-6 Bolt-on Safety
Edge Padding



Ballast Weight
800 lbs

**VINYL PAD
COLORS:**



RED



NAVY
BLUE



FOREST
GREEN



BLACK



ROYAL
BLUE



GRAY



MAROON



PURPLE



KELLY
GREEN



YELLOW



PINK



TAN



ORANGE



LIGHT
BLUE

PORTABLE BASKETBALL SYSTEM




- Adjusts 6'6" to 10' - no tools required
- 48" extension arm for "play safe" area
- 48" x 32" acrylic backboard and breakaway goal
- Backboard edge padding (EP-48) and rear anchor kit sold separately
- Customer supplied ballast required is 300-350 lbs.
- Portable system vinyl padding included
- Some assembly required
- 3 Year Limited Warranty on system



Call for freight quote.

WARNING! Failure to install customer supplied ballast according to instruction provided could result in serious injury.

System	PBB-200 (EACH)
Edge Padding (Black)	EP-48 (EACH)
48" x 32" Backboard	AB-4832 (EACH)
Rear Anchor Kit	(see below for details)



Portable system folds down to a compact storage position and fits through standard doorways (48" width).



REAR ANCHOR KIT

Includes all hardware to attach to built-in rear eye bolt on portable systems.

- 3 Year Limited Warranty

For floating wood floors	PBELKIT-100 (EACH)
For other type floors	PBELKIT-89 (EACH)



Note: The glass itself is not unbreakable. Breakage in transit, during mounting, malicious acts, or deliberate attempts to damage are not covered under warranty. Boards used with height adjusters below 10' are not covered under warranty.



UNBREAKABLE RECTANGULAR GLASS BACKBOARD

NCAA
COMPLIANT

NFHS
COMPLIANT



½" thick tempered glass backboard designed for impact load on goal to transfer directly to a lower reinforced steel frame member without putting stress on glass. Indoor use only.

- Direct mount (4"x 5" hole pattern on GBRUB-42 or GBRUB-54) or 4 corner mounting
- Direct mount (5"x 5" hole pattern on GBAFR-48) or 4 corner mounting
- High strength clear anodized aluminum frame
- Pre-drilled for Safe-Pro™ Edge Padding (MBBP-6)
- Goal and net sold separately
- 3 Year Limited Warranty

72" x 42" Backboard

GBRUB-42 (EACH)

54" x 42" Backboard

GBRUB-54 (EACH)

GLASS BACKBOARD

72" x 48" Backboard

GBAFR-48 (EACH)

BACKBOARD PACKAGE



Unbreakable Glass Backboard



GBA-642 Adjustable Breakaway Goal



MBBP-6 Bolt-on Safety Edge Padding

Unbreakable Replacement Package

Package Includes:

42" Unbreakable Glass

Backboard

GBRUB-42

Contender Pro Breakaway Goal

GBA-642

Safe-Pro™ Edge Padding

MBBP-6XX

BBRP-42 (PKG)

Specify edge padding color when ordering.



42" RECTANGULAR GLASS CONVERSION BACKBOARD

NCAA
COMPLIANT

NFHS
COMPLIANT



½" thick tempered glass backboard easily converts fan-shaped backboards to rectangular backboard. Eliminates need to alter playing court or backstop system. Indoor use only.

- Direct mount (4"x 5" hole pattern) or 4 corner mounting (20" x 35")
- High strength clear anodized aluminum frame
- Goal and net sold separately
- 3 Year Limited Warranty



72" x 42" Backboard

GCBB-35 (EACH)

BACKBOARD PACKAGE



Glass Conversion
Backboard



GBA-642 Adjustable
Breakaway Goal



MBBP-6 Bolt-on Safety
Edge Padding

Glass Conversion Package

Package Includes:

42" Rectangular Glass Conversion Backboard	GCBB-35
Contender Pro Breakaway Goal	GBA-642
Safe-Pro™ Edge Padding	MBBP-6XX

GCBB-35PKG (PKG)

Specify edge padding color when ordering.



PATENTED PERFORATED POLYCARBONATE BACKBOARD



Shatterproof backboard is 250x stronger and 30% lighter than conventional glass backboards. Retrofits most indoor/outdoor support structures! Will require mounting hardware specific to the existing pole/system. Indoor use only.

- ½" thick polycarbonate backboard with perforated holes
- Graffiti, UVF, and scratch resistant coating
- Goal, edge padding, and net sold separately
- 1 Year Limited Warranty


Call for freight quote.

OPTIONAL EDGE PAD COLORS:



54" x 36" Backboard	3654CB (EACH)
72" x 42" Backboard	4272CB (EACH)
72" x 48" Backboard	4872CB (EACH)

BUILT FOR OUTDOOR USE



42" RECTANGULAR ACRYLIC BACKBOARD



- 5" x 5" goal mounting pattern
- Border and target included
- Goal and net sold separately
- Outdoor use only
- 72"W x 42"H
- 3 Year Limited Warranty

ACRB-72 (EACH)



36" RECTANGULAR ACRYLIC BACKBOARD



- 5" x 5" goal mounting pattern
- Border and target included
- Goal and net sold separately
- Outdoor use only
- 48"W x 36"H
- 3 Year Limited Warranty

LS-44AB (EACH)



42" RECTANGULAR PERFORATED STEEL BACKBOARD



- 5" x 5" goal mounting pattern
- Rear support frame allows for multiple mounting conversions
- 11 gauge steel face with 1/4" dia. perforations
- Goal and net sold separately
- Outdoor use only
- 72"W x 42"H
- 3 Year Limited Warranty

SR-PERF (EACH)




42" RECTANGULAR STEEL BACKBOARD



- 5" x 5" goal mounting pattern
- 12 gauge steel with rear welded mounting pattern (35" x 20")
- Goal and net sold separately
- Outdoor use only
- 72"W x 42"H
- 3 Year Limited Warranty

850RB-BB (EACH)



36" ALUMINUM FAN BACKBOARD



- 5" x 5" goal mounting pattern
- Cast aluminum with 1 1/2" flange
- Goal and net sold separately
- Outdoor use only
- 56"W x 36"H
- 3 Year Limited Warranty

ALB-24BT (EACH)



42" RECTANGULAR PERFORATED ALUMINUM BACKBOARD



- 5" x 5" goal mounting pattern
- Rear support frame allows for multiple mounting conversions
- Aluminum face with 1/4" dia. perforations
- Goal and net sold separately
- Outdoor use only
- 72"W x 42"H
- 3 Year Limited Warranty

AL-PERF (EACH)

REVOLUTION SERIES

REVOLUTION 180° FLEX GOAL




Designed for premier facilities that experience the need for higher performance goal.

- Flexes along 180 degree plain to eliminate snap back associated with traditional breakaway goals
- Tube-tie net attachment
- 5" x 4" mounting hole pattern
- Anti-whip net and mounting hardware included
- 5 Year Limited Warranty

Check existing hole pattern for correct placement.


42" & 48" Backboard GBA-182 (EACH)
Replacement Ring BBSR-R (EACH)




Mounting Plate



CONTENDER SERIES



Mounting Plate
(GBA-642, GBA-542)



Mounting Plate
(GBA-648, GBA-548)



CONTENDER PRO BREAKAWAY GOAL

(Tube-Tie Net Attachment)

NCAA
COMPLIANT

NFHS
COMPLIANT

FIBA
COMPLIANT

Adjustable breakaway goal with excellent rebound consistency.

- Tube-tie net attachment system
- 5" x 5" or 5" x 4" mounting hole pattern (GBA-648)
- 5" x 4" mounting hole pattern (GBA-642)
- Anti-whip net and mounting hardware included
- 7 Year Limited Warranty

Check existing hole pattern for correct placement.

42" Backboard GBA-642 (EACH)

42" & 48" Backboard GBA-648 (EACH)

Replacement Ring BBSR-R (EACH)

CONTENDER BREAKAWAY GOAL

(Traditional Net Attachment)

NCAA
COMPLIANT

NFHS
COMPLIANT

FIBA
COMPLIANT


Adjustable breakaway goal with excellent rebound consistency.

- Traditional net attachment system
- 5" x 5" or 5" x 4" mounting hole pattern (GBA-548)
- 5" x 4" mounting hole pattern (GBA-542)
- Anti-whip net and mounting hardware included
- 7 Year Limited Warranty

Check existing hole pattern for correct placement.

42" Backboard GBA-542 (EACH)

42" & 48" Backboard GBA-548 (EACH)



COMPETITOR SERIES

COMPETITOR PRO BREAKAWAY GOAL


(Tube-Tie Net Attachment)



- Breakaway system that releases at 180 lb. static load
- Pro level tube-tie net attachment system
- 5" x 4" goal mounting pattern
- Nylon net and mounting hardware included
- 3 Year Limited Warranty

42" Backboard GBA-600 (EACH)

Replacement Ring BBSR-R (EACH)




COMPETITOR BREAKAWAY GOAL

(Traditional Net Attachment)



- Breakaway system that releases at 180 lb. static load
- Traditional net attachment system
- 5" x 4" goal mounting pattern
- Nylon net and mounting hardware included
- 3 Year Limited Warranty

42" Backboard GBA-342A (EACH)




BREAKAWAY GOAL



- Breakaway system that releases at 180 lb. static load
- Indoor/outdoor heavy-duty use
- Traditional net attachment system
- Three spring mechanism
- Fits 5"x 5" or 5"x 4" mounting hole pattern
- Nylon net and mounting hardware included
- 3 Year Limited Warranty

42" & 48" Backboard GBR360 (EACH)






SINGLE RIM GOAL

- Official size 18" ring with universal hole pattern - indoor/outdoor
- Nylon net and zinc plated mounting hardware included
- 3 Year Limited Warranty

GB-55 (EACH)




SUPER GOAL



- Indoor/outdoor
- Official size high-strength rim with universal hole pattern
- Nylon net and zinc plated mounting hardware included
- 3 Year Limited Warranty


GBSG-50 (EACH)



DOUBLE RIM GOAL

- Official size 18" double ring of $\frac{5}{8}$ " steel and $\frac{1}{2}$ " welded together for added strength and rigidity with universal hole pattern - outdoor
- Nylon net and zinc plated mounting hardware included
- 3 Year Limited Warranty


GDR-54 (EACH)



FLEX GOAL

- Outdoor light-duty use
- Traditional net attachment system
- Two spring mechanism
- Fits 5"x 5" or 5"x 4" mounting hole pattern
- Nylon net and mounting hardware included
- 3 Year Limited Warranty


GBR361 (EACH)



PLAYGROUND GOAL

- Fixed double steel rim with no-fail net lock system and universal hole pattern - outdoor
- Nylon net included (can be used with a chain net)
- 3 Year Limited Warranty

UBG-500 (EACH)



PLAYGROUND BREAKAWAY GOAL

- Indoor/outdoor goal with universal hole pattern
- Nylon net included (can be used with a chain net)
- 3 Year Limited Warranty

UBG-500F (EACH)



SHOOTERS RING

- Creates smaller diameter rim (16") for practice
- Attaches to standard basketball goals
- Requires no tools for easy install
- 3 Year Limited Warranty

SHOTRING (EACH)



REBOUND RING

- Develops rebounding skills
- Keeps balls from falling through rim (10" inside diameter)
- Attaches to 18" goal with 3 screws
- 3 Year Limited Warranty

RBRING (EACH)

REPLACEMENT NETS



NYLON NET

- 12 loop net
- 680/32 braided
- 1 Year Limited Warranty

JNY-4HP (EACH)



ANTI-WHIP NYLON NET

- 120 threaded 12 loop net
- Braided cord stops from flipping onto rim
- 1 Year Limited Warranty



1 Net	JNY-6HP (EACH)
12 Nets	JNY-6HP12 (PKG)
24 Nets	JNY-6HP24 (PKG)



STANDARD CHAIN NET

- Fits any style goal
- Heavy-duty "S" hooks
- 3 Year Limited Warranty

J-3 (EACH)

EDGE PAD COLORS



SAFE-PRO™ EDGE PADDING



- Bolts easily to all 72" official glass backboards
- Pin style attachment eliminates pad sagging under rim
- 10 Year Limited Warranty

MBBP-6XX (EACH)

Pink	MBBP-6PK
Cardinal Red	MBBP-6C
Burnt Orange	MBBP-6TO
Purple	MBBP-6P
Old Gold	MBBP-6OG
Royal Blue	MBBP-6RB
Scarlet Red	MBBP-6S
Navy Blue	MBBP-6NB
Yellow	MBBP-6YW

Forest Green	MBBP-6FG
Orange	MBBP-6OR
Maroon	MBBP-6M
Kelly Green	MBBP-6KG
Black	MBBP-6BK
Columbia Blue	MBBP-6CB
Gray	MBBP-6GY
Light Purple	MBBP-6LP



Bolt-on edge padding includes two steel connectors for perfect alignment



SAFE-PRO™ 54" BOLT-ON EDGE PADDING

Bolts easily to all 54" glass backboards.

- 10 Year Limited Warranty

Scarlet Red	MBBP-54S (EACH)
Gray	MBBP-54GY (EACH)
Black	MBBP-54BK (EACH)
Royal Blue	MBBP-54RB (EACH)

1½" BOLT-ON EDGE PADDING

"L" shape molded padding for 48" indoor/outdoor wood or acrylic backboards.

- 3 Year Limited Warranty

Black EP-48 (EACH)

"L" shape molded padding for 72" indoor/outdoor wood or acrylic backboards.

Black EP-46 (EACH)



WALL MOUNTED BACKSTOPS

GLASS BOARD WALL-MOUNTED BACKSTOPS




- Available in Stationary, Fold-Up, or Side-Folding applications - Includes 42" Glass Board (GBRUB-42), Contender Pro Breakaway Goal (GBA-642), 1.90" OD heavy-duty black powder coated frame and wood stringers
- Fold-Up Systems operated with manual or electric winch (sold separately)
- Side-Fold Systems include manual pull-pin to lock unit in either playing or storage position
- Direct goal mounted to eliminate any strain on the board
- Requires cutting and drilling in the field to achieve desired extension off wall
- Refer to spec sheets for additional information, dimensional requirements, and structural requirements
- Wall anchors specified and supplied by installer
- 3 Year Limited Warranty on system

WALL-MOUNTED BACKSTOPS OPTIONS:

- Manual or electric height adjuster (*page 125*)
- Backboard edge padding (*page 121*)

Visit JAYPRO.COM for product specifications



Shown with optional backboard edge padding

Stationary Backstop System		
Item #	Face of Bank	UoM
N24GB	2' - 4'	(SYS)
N46GB	4' - 6'	(SYS)
N68GB	6' - 8'	(SYS)
N810GB	8' - 10'	(SYS)
N1012GB	10' - 12'	(SYS)

Fold-Up Backstop System *		
Item #	Face of Bank	UoM
U46GB	4' - 6'	(SYS)
U68GB	6' - 8'	(SYS)
U810GB	8' - 10'	(SYS)
U1012GB	10' - 12'	(SYS)

* Manual or electric winch and safety strap sold separately

Side-Fold Backstop System		
Item #	Face of Bank	UoM
S46GB	4' - 6'	(SYS)
S68GB	6' - 8'	(SYS)
S810GB	8' - 10'	(SYS)
S1012GB	10' - 12'	(SYS)

Important notes for Wall-Mounted Backstops and Shooting Stations: Wall-mounted backstop systems should only be installed on walls capable of supporting the weight of the equipment plus the additional weight of a player hanging on the rim. Consult an architect, structural engineer or contractor if necessary. Jaypro Sports bears no responsibility for the structural integrity of the wall the backstop is mounted on.

8'-10' HEIGHT ADJUSTER KITS FOR WALL-MOUNTED BACKSTOPS



- Kit includes height adjuster, board mounts, and hardware required to install on Stationary, Fold-Up, or Side-Fold Backstop Systems
- Choose between manual or electric height adjuster operation
- Various methods of operation available (*page 125*)
- Electric height adjusters may be hard wired or temporarily powered off a standard 120 volt electrical wall outlet
- 3 Year Limited Warranty



Wall-Mounted Backstop with Manual Height Adjuster


Item #	Height Adjuster	Method of Operation	UoM
SMHA-WM	Manual	Sold Separately	(EACH)
SEHA-WM-KS	Electric	Key Switch, Included	(EACH)
SEHA-WM-PW	Electric	Power Wand, Sold Separately	(EACH)
SEHA-WM	Electric	Other, Sold Separately	(EACH)

3-POINT STATIONARY FAN BOARD WALL-MOUNTED SHOOTING STATION



- Economy stationary wall-mounted shooting station includes 36" Aluminum Fan Board (ALB-24BT), Contender Breakaway Goal (GBA-548), 1.90" OD heavy-duty frame and wood stringers
- Direct goal mounted to eliminate any strain on the board
- Requires cutting and drilling in the field to achieve desired extension off wall
- Wall anchors specified and supplied by installer
- 3 Year Limited Warranty

Item #	Face of Bank	UoM
N2FB	6" - 2'	(SYS)
N236FB	2' - 3½'	(SYS)
N366FB	3' - 6½'	(SYS)
N68FB	6' - 8'	(SYS)
N810FB	8' - 10'	(SYS)



Important notes for Wall-Mounted Backstops and Shooting Stations: *Wall-mounted backstop systems should only be installed on walls capable of supporting the weight of the equipment plus the additional weight of a player hanging on the rim. Consult an architect, structural engineer or contractor if necessary. Jaypro Sports bears no responsibility for the structural integrity of the wall the backstop is mounted on.*



Shooting Station with Height Adjuster
(Edge Padding sold separately)

GLASS BOARD WALL-MOUNTED SHOOTING STATION



- Wall-mounted shooting station includes 42" Glass Backboard (GBRUB-42), Breakaway Goal (GBA-642), fully welded heavy duty 6 $\frac{1}{2}$ " OD frame with 2 $\frac{3}{8}$ " OD outriggers and wood stringers
- 3' Face of bank
- Available with or without 8' - 10' manual height adjuster (HAHC handle included)
- Wall anchors specified and supplied by installer
- 3 Year Limited Warranty

Item #	Description	UoM
WMWH	Station w/ Height Adjuster	(SYS)
WMSS	Station w/o Height Adjuster	(SYS)

INDOOR/OUTDOOR ADJUSTABLE WALL-MOUNTED SHOOTING STATION




- Wall-mounted shooting station includes glass or acrylic backboard, flex goal, heavy-duty steel frame, and black edge padding (glass boards only)
- Rim height manually adjustable from 7'-6" to 10' with integral hand crank
- 33" - 44" extension off wall depending on height of rim
- Wall anchors specified and supplied by installer
- 3 Year Limited Warranty

Item #	Board Size	Board Type	UoM
WM-48	36" x 48" x $\frac{1}{2}$ "	Acrylic	(SYS)
WM-54	36" x 54" x $\frac{1}{2}$ "	Glass w/ Edge Padding	(SYS)
WM-65	36" x 60" x $\frac{1}{2}$ "	Glass w/ Edge Padding	(SYS)

Black Edge Padding included with
Glass Boards only



Important notes for Wall-Mounted Backstops and Shooting Stations: *Wall-mounted backstop systems should only be installed on walls capable of supporting the weight of the equipment plus the additional weight of a player hanging on the rim. Consult an architect, structural engineer or contractor if necessary. Jaypro Sports bears no responsibility for the structural integrity of the wall the backstop is mounted on.*



SHOT CLOCK MOUNTING BRACKETS (ONLY)

Mount any shot clock to existing backstops.

6$\frac{5}{8}$" OD Mast	SCMB658-A
6" OD Mast	SCMB6-A
2$\frac{3}{8}$" Double Drop	SCMB238-A

HEIGHT ADJUSTERS

Height Adjuster – Adjust the height of your backboard and rim from 10 ft. to 8 ft. for youth play. Jaypro's Height Adjuster is stable and easy to operate. Constructed of slide steel frames, which provides tighter clearances resulting in less shake than other height adjusters on the market – even at lower playing heights. Choose either manual operation or electric.

MANUAL HEIGHT ADJUSTER

Housing constructed of slide steel frames driven by a $\frac{3}{4}$ " Acme thread rod that easily raises and lowers the backboard with a manual hand crank (HAHC). Height markings are embossed into the side of the adjuster every 6" to allow the operator to establish an accurate height. The manual height adjuster may also be controlled using a portable Cordless Drill operator (CD-80H), purchased separately, which is a popular option when retrofitting new height adjusters on existing backstops.

SMHA (EACH)



ELECTRICALLY OPERATED HEIGHT ADJUSTER

Electrical height adjusters make raising and lowering the backboard as easy as turning a key, radio remote, pluggable power wand, or operating with a touchscreen. The electric height adjuster is powered by a thermally protected 1/10 HP motor, requiring 110-120 volt, single phase, 1.35 amp motor with a 4' pigtail. Electric height adjusters may be hard wired, or temporarily powered off a standard 120 volt electrical wall outlet. This height adjuster includes a redundant hard stop safety feature to catch the board and goal in the event of a failure.

SEHA (EACH)



HEIGHT ADJUSTER OPERATORS:

Manual Height Adjuster Hand Crank

HAHC (EACH)

Manual Height Adjuster Cordless Operator



CD-80H (EACH)

Momentary Electric Key Switch

KS-13 (EACH)

Electric Height Adjuster Power Wand Controller

HAPW-100 (EACH)






LITTLE CHAMP™ BACKBOARD ADAPTERS

Convert an existing goal to youth height.
Easily installs from floor by one person!



- Safely attaches to any goal and 42" backboard
- Fan-shaped backboard, attachment frame, official size goal, and nylon net included
- Moves backboard 2' closer to free throw line
- 3 Year Limited Warranty: System



LITTLE CHAMP™ EASY ADJUST BACKBOARD ADAPTER

- 6½' to 9' height adjustment without disassembly
- Folds down and rolls on wheels for convenient storage
- Arm adapter kit (LC-AKIT) for 48" backboard sold separately

LC-6HP (EACH)

LC-6 (PAIR)

LITTLE CHAMP™ ADJUSTABLE BASKETBALL ADAPTER

- Adjusts from 7' - 9' in 6" increments
- Attaches to virtually any existing rim
- 8'6" youth regulation height
- 35" x 48" graphite backboards with aluminum back frame
- Easy set-up, no tools required

LC-5AHP (EACH)

LC-5A (PAIR)





DELUXE TRAINING BALL RACK

Durable steel rack for shooting competitions and free throw practice.

- Holds 19 regulation basketballs (top 7 feed to shooter)
- Non-marking swivel wheels (front 2 lockable)
- 61"L x 18"W x 44"H
- 3 Year Limited Warranty

DTBR-19 (EACH)


PREMIUM BALL CARRIER

Durable steel frame carrier with side panels for optional custom graphics on both ends.


- Non-marking swivel wheels
- 39"L x 22"W x 36"H
- 3 Year Limited Warranty

Carrier DTBR-12 (EACH)

Optional Graphics DTBR-GRAPH (PAIR)



BBC-18RB



BBC-12RD

DELUXE BALL CARRIERS

Durable steel frame carriers hold basketballs, volleyballs, and medicine balls.

- Non-marking swivel wheels
- 12 Ball Carrier - 39"L x 22"W x 36"H
- 18 Ball Carrier - 60"L x 22"W x 36"H
- 3 Year Limited Warranty

12 Ball - Royal Blue BBC-12RB (EACH)

12 Ball - Black BBC-12BK (EACH)

12 Ball - Red BBC-12RD (EACH)

18 Ball - Royal Blue BBC-18RB (EACH)

18 Ball - Black BBC-18BK (EACH)

18 Ball - Red BBC-18RD (EACH)

COURTCLEAN

Get a safe, clean floor in minutes with this damp mop system.

- 6' mop made of polyethylene material
- Hook-and-loop fasteners keep towel in place
- Replacement towels sold separately
- 1 Year Limited Warranty

6' Courtclean Mop CCM-6 (EACH)

6' Courtclean Towel CCT-6 (EACH)

1 gal. Super Shine-All CCSS-1 (EACH)

6' Start Up Kit CCSK-6 (EACH)



CCM-6



CCT-6



CCSK-6



CCSS-1



KCP-1



KCP-1C

Show your team spirit
with your school logo



KCPD-2

KEYCLEAN PRO

- 2 large 18" x 24" mops made with highly absorbent microfiber pads
- 6' adjustable two-piece aluminum handle with a heavy-duty attachment to the pad board.
- Fast drying and slip resistant to reduce injuries
- 2 mops and 2 pads included
- Replacement pads available
- Can be customized
- 1 Year Limited Warranty

Keyclean Pro Set
Keyclean Pro Pads
Custom Pro Set

KCP-1 (EACH)

KCPD-2 (EACH)

KCP-1C (EACH)



Consists of a
6' adjustable
two-piece
aluminum
handle with
a heavy-duty
attachment
to the pad
board.





ST-8BM



ST-8FS



ST-10BM



ST-8FS

SCORER TABLE



Free Standing Style:

- Folds for easy storage
- Heavy-duty steel/aluminum construction
- Integrated power strip and media wire tray
- 8' or 10'L x 3'H x 34"D
- Padding available in 15 colors: Maroon, Print Black, Cardinal Red, Silver Gray, Kelly Green, Navy Blue, Royal Blue, Forest Green, Team Orange, Midnight Blue, Electronic Blue, Teal Blue, Medium Purple, Desert Tan or Golden Yellow (*specify when ordering*)

Bleacher Mount Style:

- Folds for easy storage
- Heavy-duty steel/aluminum construction
- Built in 110 volt powder strip
- Integrated power strip and media wire tray
- 8' or 10'L x 3'10"H x 18"D
- Padding available in 15 colors (*See above, specify when ordering*)

Call for freight quote.

Bleacher Mount Style - Rear-Lit

8' Long ST-8BM (EACH)

10' Long ST-10BM (EACH)

Free Standing Style - Rear-Lit

8' Long ST-8FS (EACH)

10' Long ST-10FS (EACH)

POSSESSION INDICATOR

- Red LED indicator lights with toggle switch operation
- 15' long AC adapter included
- 20" x 5" x 2"
- 1 Year Limited Warranty

POSIND1 (EACH)



TITAN™ ADJUSTABLE SERIES



Heavy-duty adjustable steel systems for indoor/outdoor play. A colossal achievement in high performance hoops!

- Adjustable height of 5½' to 10'
- 2" x 4" heavy gauge steel extension arms
- Tempered glass backboards
- Reliable actuator and safety pin-stop
- Duplex coating "hot dip" galvanized with black powder coat finish
- Breakaway rim or flex goal, nylon net, and stainless steel hardware included
- Black pole padding and backboard edge padding included
- 3 Year Limited Warranty: System


Item #	Upright	Offset	Backboard	UoM
with Tempered Glass Backboard				
CV684A	6" x 8"	4'	42" x 72"	(EACH)
CV664A	6" x 6"	4'	42" x 72"	(EACH)
CV553B	5" x 5"	3'	36" x 60"	(EACH)

with Acrylic Backboard

CVAC66	6" x 6"	4'	42" x 72"	(EACH)
--------	---------	----	-----------	--------

TITAN™

ADJUSTABLE SERIES



Clear View Shot Design Technology

Minimizes the distraction of a structure typically located at the center of the backboard.



Lift Assist Technology

Heavy-duty actuator with dual assist springs makes for effortless height adjustment. Crank handle removes to prevent unauthorized adjustment.



TITAN™ REPLACEMENT BACKBOARD



- Tempered glass
- 3 Year Limited Warranty

42" x 72" GBCV-72 (EACH)

36" x 60" GBCV-60 (EACH)



Black Edge
Padding

TITAN™ REPLACEMENT EDGE PADDING

- 3 Year Limited Warranty

42" x 72" CVEP-72 (EACH)

36" x 60" CVEP-60 (EACH)




Breakaway Goal
with Nylon Net

TITAN™ REPLACEMENT GOAL

- 3 Year Limited Warranty

6" x 8" / 6" x 6" GBR360 (EACH)

5" x 5" GBR361 (EACH)




SURFACE MOUNT ANCHOR KIT

- Kit includes template, J-bolts, rebar, and hardware
- 3 Year Limited Warranty

6" x 6" and 6" x 8" CV664A-AF-GJ (EACH)

5" x 5" CV553B-AF-GJ (EACH)



REPLACEMENT POST AND GUSSET PADDING

- 2" thick square black post padding with gusset padding
- Attaches with hook-and-loop closure
- Available in multiple sizes
- 1 Year Limited Warranty

6" x 8" with gusset PP-68 (EACH)

6" x 6" with gusset PP-66 (EACH)

5" x 5" with gusset PP-55 (EACH)

4" x 4" with gusset PP-44 (EACH)

TITAN™



Heavy-duty fixed height system with backboard and goal mounted directly to extension arm for exceptional strength. Reinforced with rear support braces!

Upright options: Galvanized or Powder Coated Black

Backboard options: Acrylic, Steel, Perforated Steel or Glass

Goal options: Playground or Flex Goal

REPLACEMENT POST PADDING



- 2" thick square black post padding
- Attaches with hook-and-loop closure
- 1 Year Limited Warranty

6" x 6" pad
PP-66T (EACH)

TITAN™



- Unit buries 48" into ground
- 6" square steel upright with angled extension arm
- Height can be adjusted after court resurfacing
- Heavy-duty goal and nylon net included
- Backboard - 72"W x 42"H
- 3 Year Limited Warranty: System





770-AC-UG
Acrylic Backboard
Playground Goal
Black Post



770-PF-FR
Perforated Steel Backboard
Flex Goal
Black Post



770-RS-UG
Steel Backboard
Playground Goal
Black Post



770-CV-FR
Glass Backboard
Flex Goal
Black Post



Playground Goal

Black Post with Playground Goal

Acrylic	770-AC-UG (EACH)
Steel	770-RS-UG (EACH)
Perforated Steel	770-PF-UG (EACH)
Glass	770-CV-UG (EACH)



Flex Goal

Black Post with Flex Goal

Acrylic	770-AC-FR (EACH)
Steel	770-RS-FR (EACH)
Perforated Steel	770-PF-FR (EACH)
Glass	770-CV-FR (EACH)

For more information,
scan below or go to:
www.jaypro.com/Fixed-Height



SERIES ALSO AVAILABLE WITH GALVANIZED POST

Visit us online at www.jaypro.com or call Customer Service at 800-243-0533 for information and item numbers for the Titan unit with a galvanized post.



Playground Breakaway Goal

Black Post with Playground Breakaway Goal

Acrylic	770-AC-UB (EACH)
----------------	------------------



Acrylic



THE CHURCH YARD



Durable fixed height system with black powder coat finish and acrylic or aluminum fan backboard. 40" extension arm for "play safe" area!

- Unit buries 48" into ground
- 4" square steel upright with angled extension arm
- Height can be adjusted after court resurfacing
- Contender Breakaway goal (GBA-548), net (JNY-6HP), post (PP-44) and backboard edge padding* (EP-48) included
- Acrylic Backboard - 48"W x 36"H
- Aluminum Fan Backboard - 54"W x 36"H
- 3 Year Limited Warranty: System

**Aluminum fan backboard does not include edge padding.*

Acrylic 400-AC-FG (EACH)

Aluminum Fan 400-FA-FG (EACH)





For more information,
scan below or go to:
www.Jaypro.com/Gooseneck



Shown with optional powder coating on pole

Rugged all galvanized steel 4½" or 5⅞" Schedule 40 diameter post with direct mount welded to gooseneck for durability and stability. Additionally, two 1⅝ inch diameter steel braces are provided with rectangular backboards. Easy to install and virtually maintenance free. Pole powder coat options available, additional charges apply. See selection chart for backboard and goal combinations.

POWDER COAT COLORS: *Black is standard, other powder coat colors should be specified.*



RED



NAVY
BLUE



YELLOW



GOLD



GRAY



BLACK



MAROON



DARK
GREEN



KELLY
GREEN



ROYAL
BLUE



WHITE



ORANGE



PURPLE

GOOSENECK SYSTEMS

Step 1:

Choose Post












Step 2:











Choose Board


Step 3:

Choose Goal




4½" Diameter Gooseneck Post 4' Offset	Super Goal GBSG-50 	Double Rim GDR-54 	Playground Goal UBG-500 	Flex Rim GBR361 	Breakaway Playground UBG-500F 
Aluminum Fan ALB-24BT 	996-FABT-SG	996-FABT-DR	996-FABT-UG	996-FABT-FR	996-FABT-UB
Steel 850RB-BB 	996-RS-SG	996-RS-DR	996-RS-UG	996-RS-FR	996-RS-UB
Perforated Steel SR-PERF 	996-PERF-SG	996-PERF-DR	996-PERF-UG	996-PERF-FR	996-PERF-UB
Perforated Alum. AL-PERF 	996-ALP-SG	996-ALP-DR	996-ALP-UG	996-ALP-FR	996-ALP-UB
Acrylic ACRB-72 	996-AC-SG	996-AC-DR	996-AC-UG	996-AC-FR	996-AC-UB

5⅝" Diameter Gooseneck Post 6' Offset	Super Goal GBSG-50 	Double Rim GDR-54 	Playground Goal UBG-500 	Flex Rim GBR361 	Breakaway Playground UBG-500F 
Aluminum Fan ALB-24BT 	656-FABT-SG	656-FABT-DR	656-FABT-UG	656-FABT-FR	656-FABT-UB
Steel 850RB-BB 	656-RS-SG	656-RS-DR	656-RS-UG	656-RS-FR	656-RS-UB
Perforated Steel SR-PERF 	656-PERF-SG	656-PERF-DR	656-PERF-UG	656-PERF-FR	656-PERF-UB
Perforated Alum. AL-PERF 	656-ALP-SG	656-ALP-DR	656-ALP-UG	656-ALP-FR	656-ALP-UB
Acrylic ACRB-72 	656-AC-SG	656-AC-DR	656-AC-UG	656-AC-FR	656-AC-UB



3 Year Limited Warranty on System



For more information,
scan below or go to:
www.Jaypro.com/Straight-Pole



Easy to install and virtually maintenance free, The out rigger/strut design allows you to set your playing height without compromising strength and stability. Galvanized steel structure is a durable finish. The system is designed for safety, with the 4' outrigger design. Pole powder coat options available, additional charges apply. See selection chart for backboard and board combinations.

POWDER COAT COLORS: *Black is standard, other powder coat colors should be specified.*



RED



NAVY
BLUE



YELLOW



GOLD



GRAY



BLACK



MAROON



DARK
GREEN



KELLY
GREEN



ROYAL
BLUE



WHITE



ORANGE



PURPLE

STRAIGHT POST SYSTEMS


Step 1:

Choose Post



Step 2:

Choose Board



Step 3:

Choose Goal



4½" Diameter Straight Post 4' Offset

Aluminum Fan ALB-24BT	
Steel 850RB-BB	
Perforated Steel SR-PERF	
Perforated Alum. AL-PERF	
Acrylic ACRB-72	

Super Goal
GBSG-50



Double Rim
GDR-54



Playground
Goal
UBG-500



Flex Rim
GBR361



Breakaway
Playground
UBG-500F



SPA4-FABT-SG

SPA4-FABT-DR

SPA4-FABT-UG

SPA4-FABT-FR

SPA4-FABT-UB

SPA4-RS-SG

SPA4-RS-DR

SPA4-RS-UG

SPA4-RS-FR

SPA4-RS-UB

SPA4-PERF-SG

SPA4-PERF-DR

SPA4-PERF-UG

SPA4-PERF-FR

SPA4-PERF-UB

SPA4-ALP-SG

SPA4-ALP-DR

SPA4-ALP-UG

SPA4-ALP-FR

SPA4-ALP-UB

SPA4-AC-SG

SPA4-AC-DR

SPA4-AC-UG

SPA4-AC-FR

SPA4-AC-UB

5⅝" Diameter Straight Post 6' Offset

Aluminum Fan ALB-24BT	
Steel 850RB-BB	
Perforated Steel SR-PERF	
Perforated Alum. AL-PERF	
Acrylic ACRB-72	

Super Goal
GBSG-50



Double Rim
GDR-54



Playground
Goal
UBG-500



Flex Rim
GBR361



Breakaway
Playground
UBG-500F



SPA6-FABT-SG

SPA6-FABT-DR

SPA6-FABT-UG

SPA6-FABT-FR

SPA6-FABT-UB

SPA6-RS-SG

SPA6-RS-DR

SPA6-RS-UG

SPA6-RS-FR

SPA6-RS-UB

SPA6-PERF-SG

SPA6-PERF-DR

SPA6-PERF-UG

SPA6-PERF-FR

SPA6-PERF-UB

SPA6-ALP-SG

SPA6-ALP-DR

SPA6-ALP-UG

SPA6-ALP-FR

SPA6-ALP-UB

SPA6-AC-SG

SPA6-AC-DR

SPA6-AC-UG

SPA6-AC-FR

SPA6-AC-UB



3 Year Limited Warranty on System

3½" GOOSENECK SYSTEM



Direct mount style system with backboard and goal mounted directly to extension arm for exceptional strength. 36" extension arm for "play safe" area!

- 3½" zinc undercoated steel upright
- Galvanized or powder coat finish option
- Aluminum fan backboard (ALB-24BT) , goal (GB-55), and nylon net (JNY-4HP) included
- Backboard - 54"W x 36"H
- 3 Year Limited Warranty: System

Black 455-FABT-SR-BK (EACH)

Galvanized 455-FABT-SR (EACH)



Black Post



Galvanized Post

ULTIMATE ADJUSTABLE GOOSENECK



A complete adjustable gooseneck system with the benefits of a Hoop Rejuvenator™ Kit.

- 4½" OD heavy-walled galvanized steel post
- H-frame style with 48" extension for "play safe" area
- Acrylic, rectangular steel and aluminum fan backboard options
- Breakaway goal (UBG-500F), and Hoop Rejuvenator™ Kit included
- 3 Year Limited Warranty: System

72" x 42" Acrylic Board UAG-AC (EACH)

54" x 36" Aluminum Fan Board UAG-FA (EACH)

72" x 42" Steel Board UAG-RC (EACH)



Shown with optional post padding (PPP-500HP)



— HOOP — REJUVENATOR™

HOOP REJUVENATOR™ KIT



Hoop Rejuvenator™ allows for easy upgrading of existing systems without the added cost of excavating and replacing them.

- Plumbs backboards on leaning goosenecks
- Allows for goal height adjustment after court resurfacing (up to 6" for H-frames and 5" for direct mount units)
- Designed to fit standard mount plates and gooseneck systems 4½" OD and up
- Acrylic, rectangular steel, and aluminum fan backboard options
- H-frame kit and direct mount kit models
- Breakaway goal (UBG-500F), stainless steel hardware, and zinc galvanizing spray to cover rust spots included
- 3 Year Limited Warranty: System

3½" OD goosenecks only use aluminum fan backboard (HRKIT-FA).



H-Frame Design:

The H-Frame design is to be used on systems where gooseneck mounts near the center of the backboard, not at the rim, but above it.



Direct Mount Design:

The Direct Mount design is to be used on systems where both backboard and rim are mounted directly to gooseneck.

	Item #	Backboard	UoM
H-Frame	HRKIT-AC	72" x 42" Acrylic	(EACH)
	HRKIT-FA	54" x 36" Alum. Fan	(EACH)
	HRKIT-RC	72" x 42" Steel	(EACH)
Direct Mount	HRKIT-AC-DIR	72" x 42" Acrylic	(EACH)
	HRKIT-FA-DIR	54" x 36" Alum. Fan	(EACH)
	HRKIT-RC-DIR	72" x 42" Steel	(EACH)



BASKETBALL POST PADDING



- 6' tall x 30" wide padding with 4" thick high-density foam
- 12½" diameter
- 14 oz. vinyl cover (available in 14 colors) with grommet flaps for rear lacing
- Lacing cord included
- Fits 4½" posts
- 1 Year Limited Warranty

*Specify vinyl color when ordering.
Custom graphics not available with this product.*

4½" OD Pole PPP-5HP (EACH)



PRO STYLE PROTECTOR PAD



- 6' tall pad with minimum of 6" thick cylindrical high-density foam
- 17½" diameter
- 14 oz. nylon reinforced vinyl cover (available in 14 colors) with hook-and-loop closure
- 1 Year Limited Warranty

*Specify vinyl color when ordering.
Custom graphics sold separately.*

4½" OD Pole PPP-500HP (EACH)

5⅞" OD Pole PPP-700HP (EACH)



PRO STYLE PROTECTOR PAD



- 6' tall pad with minimum of 3¾" thick cylindrical protective safety foam
- 13" diameter
- 14 oz. nylon reinforced vinyl cover (available in 14 colors) with hook-and-loop closure
- 1 Year Limited Warranty

*Specify vinyl color when ordering.
Custom graphics sold separately.*

4½" OD Pole PPP-100 (PAIR)
PPP-100HP (EACH)

5⅞" OD Pole PPP-300 (PAIR)
PPP-300HP (EACH)

VINYL PAD COLORS:



RED



NAVY BLUE



FOREST GREEN



BLACK



ROYAL BLUE



GRAY



MAROON



PURPLE



KELLY GREEN



YELLOW



PINK



TAN



ORANGE



LIGHT BLUE

Custom Graphics for Basketball Post Padding

Customize basketball post pads with digital graphics.

BASKETBALL POST PAD DIGITAL GRAPHICS

Customize your post padding.

Contact customer service at 800-243-0533 for artwork requirements. Extended lead time.

Multi-color JSG-BPP2 (PER PAD)



BASKETBALL COURT STENCIL

Easily paint a regulation basketball court on a driveway, patio or play area.

- Precision cut stencils
- Paint roller included
- 13'L x 21'W
- 1 Year Limited Warranty

BCS-1 (EACH)

GYM DIVIDER CURTAINS

Jaypro Sports offers a variety of functional and attractive divider curtains that help divide any sports facility or institutional space. From power-controlled to manual curtains, we custom design divider curtains for any facility size requirements. Also available in solid vinyl or vinyl coated mesh with several color options.

FOLD UP CURTAIN FC-680

The most versatile and robust curtain in the industry. This curtain uses hoist cables which are weaved through grommets and are attached to the bottom batten. Hoist cables simply roll on the driveline, causing the curtain to fold neatly towards the ceiling in an accordion style fashion.

- Most durable, longest lasting curtain in the industry
- Easiest retractable curtain to install
- Compact fold to maximize clear height


Call for freight quote.

Electric Curtain Winch CW-1800



See (page151) for details

Visit JAYPRO.COM for product specifications



SLOPE FOLD CURTAIN SC-685

Engineered to fit against the roof frame and conform to virtually any slope while providing maximum clearance for all sporting activities. This curtain can conform to virtually any roof to maximize clearance for all sporting events. Check out the new Field House Slope Fold Curtain (page 147, SC-685XL). *Call for freight quote.*



Lowered Position



Raised Position

TOP ROLL CURTAIN TC-701

Uses no hoist cables or straps to raise and lower the curtain and stores tighter than many other curtain designs for additional clearance with low ceilings. When operated, the entire fabric rolls onto the drive pipe. *Call for freight quote.*



MINI TOP ROLL CURTAIN TC-710


Compact curtain system designed to store tight to the ceiling structure by means of an internal tubular motor. Ideal for cafeterias, meeting rooms, stages, or other small spaces. *Call for freight quote.*



WALK DRAW CURTAIN

WC-660 & WC-660BP

Designed for manual operation, this curtain is moved by pulling it along a ceiling suspended track to store along a perimeter wall. *Call for freight quote.*



ROLL UP CURTAIN RC-690


Raised and lowered by heavy-duty hoist belts and stores in a 2' storage space close to the building structure. When operated, hoist belts roll the fabric onto the bottom batten. *Call for freight quote.*





CENTER DRIVE CURTAIN CDC-800


Ceiling suspended center drive divider curtain is available in solid vinyl lower with mesh upper or all solid vinyl or all mesh. The top and bottom panels roll into the center of the curtain. This design allows the center roll up curtain to stow twice as fast as full suspended curtains. The curtain rolls into a small round tube that stows away for maximum clearance. *Call for freight quote.*



Visit [JAYPRO.COM](https://www.jaypro.com) for product specifications

FIELD HOUSE SLOPE FOLD CURTAIN SC-685XL

Engineered to fit against the roof frame and conform to virtually any slope while providing maximum clearance for all sporting activities. This mega curtain utilizes dual synchronized winches with a low voltage controller. This curtain can conform to virtually any roof to maximize clearance for all sporting events. Pictured below, this SC-685XL curtain measures 190' long and 42' high at the peak and raises to the ceiling in 75 seconds. *Call for freight quote.*



PERIMETER FOLD UP CURTAIN FC-680P

Jaypro Perimeter Curtains are ideal for completely following the inside or outside perimeter of running tracks within multi-use facilities and field houses. These curtains are designed to separate the running track from interior basketball or volleyball courts, thereby maximizing facility use and flexibility. Adjoining curtains are overlapped and offset to allow for easy egress. *Call for freight quote.*





MOTORIZED NETTING

Safety netting systems are designed to protect spectators or create safe passageways outside the field of play. A complete surround netting system can be used to seal off a court or field for ball containment. Netting can enclose the perimeter of a facility as well as create a ceiling. Netting systems can be motorized or stationary. Contact Jaypro's estimating department to help design a solution for your netting needs. *Call for freight quote.*


Visit JAYPRO.COM for product specifications



PROTECTIVE STATIONARY NETTING

Jaypro makes nets to separate outdoor athletic fields in large complexes and to divide indoor athletic facilities. We also provide complete perimeter and ceiling netting protection for your athletic facility. Our netting is found on tennis courts, basketball courts, soccer fields, and golf courses. Everything we make is customized to your needs as no two facilities are alike. Call or e-mail us to discuss your project. *Call for freight quote.*





Cape Girardeau SportsPlex, Cape Girardeau, MO

Jaypro Sports - Winner of the American Sports Builders Association award for Multi-Purpose Field House Facility of the Year (2017)

MASTER EQUIPMENT CONTROLLER 2

The MEC2 control system is similar to your touch screen smartphone, with a slick wall mounted touch screen that allows grouped operation of up to eight devices. The MEC2 includes intuitive menus to allow anyone to easily program at any point in time, without switches or removal of the screen. The MEC2 control system is ideal for grade schools or facilities with 6 or more retractable devices. Also, the MEC2 can also be easily retrofitted into existing facilities that may have an outdated numbered touch pad or existing key switches. Simply put, the MEC2 is the leading economical equipment control system in the industry!

- Low voltage 7" capacitive touchscreen
- Individual or grouped simultaneous operation
- Easily expandable w/ low cost expansion relay boards
- Protected with multiple tiered access logins
- Simple retrofit from existing methods of operation
- Direct replacement for MEC-99 control system
- Refer to the MEC2 spec sheet for additional information

MEC2 (SYS)



**For more information:
Visit meta-sports.world**

EASY TOUCH EQUIPMENT CONTROLLER

The ETEC control system is designed for large and small sports facilities that require the ultimate control of the retractable equipment. With a single push of a button, the operator can simultaneously raise multiple devices while lowering several others from the 10" touch screen. The ETEC control system is highly recommended for pay-to-play facilities where quick sport turnover is critical, allowing multiple basketball courts to be converted to volleyball courts in a few quick minutes. This system includes a custom designed graphical interface with your facility logos and colors.

- Low voltage 10.4" high resolution LCD touchscreen
- Simultaneous up and down operation
- On-the-fly quick selection programming
- Customized facility layouts with intuitive graphical interface
- Instantly saves user programs with the press of a button
- Refer to the ETEC spec sheet for additional information

ETEC (SYS)



"Intent" safety key pad requires constant touch control for system operations.

**ELECTRIC TORK WINCH**

Winch Only	TW-2000-1 (EACH)
Winch & Key Switch	TW-2000 (EACH)
Winch, Key Switch & Wood Kit	TW-2000KT1 (EACH)

**ELECTRIC LYNRUS WINCH**

Winch Only	SBBW-4-1 (EACH)
Winch & Key Switch	SBBW-4 (EACH)
Winch, Key Switch & Wood Kit	SBBW-4KT1 (EACH)

**TORK WINCH SAFETY STRAP**

Strap Only	PL-1000 (EACH)
Strap & Wood Kit	PL-1000KT1 (EACH)

**AUT-O-LOC2 SAFETY STRAP**

Strap Only	SBAL-30 (EACH)
Strap & Wood Kit	SBAL-30KT1 (EACH)

**MANUAL TORK WINCH**

Winch Only	TW-700M (EACH)
Winch & Wood Kit	TW-700MKT1 (EACH)
Winch Handle	TW700H (EACH)
Winch Drill Operator	ED-902 (EACH)

CURTAIN & BATTING CAGE WINCHES

ELECTRIC TORK WINCH

Winch Only	CW-1800-1 (EACH)
Winch & Key Switch	CW-1800 (EACH)



ELECTRIC LYNRUS WINCH

Winch Only	SBCW-3-1 (EACH)
Winch & Key Switch	SBCW-3 (EACH)
High Speed Winch Only	SBCW-5-1 (EACH)
High Speed Winch & Key Switch	SBCW-5 (EACH)
2 3/8" OD Drive Adapter	SBCW-3DPA (EACH)



TORK WINCH CURTAIN LOCK

CL-1000 (EACH)



LYNRUS CURTAIN LOCK

SBCL (EACH)



HEAVY-DUTY TORK CURTAIN WINCHES

VFD controlled high speed winches for large curtain or batting cage applications.
Call for additional details.



METHODS OF OPERATION



Key Switch



Ganged Key Switches



Radio Remote Receiver



Radio Remote Transmitter

Tork Winch Key Switch

KS-13 (EACH)

Lynrus Key Switch

KS-23 (EACH)

Ganged Key Switches

XGPWKS (CALL)
("X" = # of Keys)

Radio Remote Receiver

DRX-1199 (EACH)

Radio Remote Transmitter

TMX-1199 (EACH)



ELECTRICAL QUICK DISCONNECT

Winch twist-lock pig tail kit

PT-72 (EACH)



MANUAL WINCH DRILL OPERATOR

• 1 Year Limited Warranty

ED-902 (EACH)

MASTER EQUIPMENT CONTROLLER 2

Refer to (page 149) for information and details on these controllers.



MEC2 (SYS)

EASY TOUCH EQUIPMENT CONTROLLER



ETEC (SYS)

SECURELIFT™ WRESTLING MAT STORAGE SYSTEMS



Eliminate risk of injury to students, athletes and coaches from manual lifting and transporting of heavy and awkward mats. Gain valuable storage space and extend the life of your wrestling mats. Simply roll the mat(s) onto the sling, attach the sling to the load bar, turn the key to raise the unit and store at ceiling height. 3 Year Limited Warranty. *Call for details and pricing.*



Ceiling Suspended Single Mat Securelift™

MH-S-A (CALL)

Wall-Mounted Single Mat Securelift™

MHWM-S-A (CALL)



Ceiling Suspended Double Mat Securelift™

MH-D-A (CALL)

Wall-Mounted Double Mat Securelift™

MHWM-D-A (CALL)



MATLOK™

MATLOK™ WRESTLING MAT STORAGE SYSTEM SAFETY STRAP

- Designed to automatically lock a mat hoist system in position should a malfunction occur
- Self-checking, self-leveling, fail safe mechanism features
- System comprised of 2 load bar rocker assemblies and 4 Posilok™ Safety Straps



- System adaptable to any wrestling mat storage system
- Versatile mounting clamps included
- 3 Year Limited Warranty

MH-MLS (CALL)


Note: Due to difference in wall construction, Jaypro Sports does not provide anchors or mounting hardware to attach the wall stringers to gymnasium walls. Consult your architect or contractor to determine the best and safest installation methods for your facility.

WALL-MOUNTED GYM LADDER



- Steel frame with welded supports for strength and durability
- Powder coated black finish is textured for safety
- Inner braces provide stability for lateral movement
- Ladder is attached with wood stringers (included) and is additionally supported with a heavy-duty chain
- Frame extends 48" from wall
- 12'L x 18"W
- 3 Year Limited Warranty

WML-100 (EACH)



VERTICAL CLIMBING LADDER



- 1⁵/₁₆" steel tubing construction
- Powder coated black finish is textured for safety
- Heavy-duty wall mounting plates
- 60"L x 22"W
- 3 Year Limited Warranty

WVL-7 (EACH)



WALL GRID CLIMBER



- 1⁵/₁₆" steel tubing construction
- Powder coated black finish is textured for safety
- Grid is 4 x 5 rows with 6" pattern
- Heavy-duty wall mounting plates
- 3 Year Limited Warranty

WGC-20 (EACH)



ADJUSTABLE WALL-MOUNTED CHINNING BAR

- Provides 2' of height adjustment in 6" increments
- All-welded 30" wide steel frame with black powder coat finish
- 3 Year Limited Warranty

EWM-30 (EACH)



JUMP ROPE RACK

- Wall-mounted all steel construction with powder coat finish
- 27" long with (5) 10" long pegs
- 3 Year Limited Warranty

PE-110 (EACH)



FOR DETAILS AND
PRICING VISIT
WWW.JAYPRO.COM



Let Jaypro help with your facility needs

Pads that offer player protection to meet your facilities needs. Keep your atmosphere and playing area as safe and comfortable as possible.

1. Provides excellent wall protection to absorb player impact
2. Reduces noise levels in any facility
3. Wall padding should be installed on all rigid surfaces located in close proximity (within 10') to active playing areas



VINYL PAD COLORS: *Specify pad color when ordering*



Mounting options:

Lip top and bottom

Z-clip top and lip bottom

Z-clip top and bottom



**Custom Wall Pad Project?
Call for a Quote!**

Visit JAYPRO.COM for product specifications



IMPACT WALL PADDING

- 2" thick high impact foam with $\frac{7}{16}$ " Oriented Strand Board backing
- 14 oz. fire-retardant vinyl in a variety of colors
- Exceeds impact standards as defined in ASTM F2440-04

Call for freight quote.

Item #	Size	Description	UoM
JWP-I-26	2' x 6'	lip top & bottom	(EACH)
JWP-I-26Z	2' x 6'	z-clip top & lip bottom	(EACH)
JWP-I-26ZZ	2' x 6'	z-clip top & bottom	(EACH)



FIRE WALL PADDING

- 2" thick high impact foam with $\frac{7}{16}$ " Oriented Strand Board backing
- 14 oz. fire-retardant vinyl in a variety of colors
- Certified class A fire rating in accordance with NFPA 255/ASTM E-84

Call for freight quote.

Item #	Size	Description	UoM
JWP-A-26	2' x 6'	lip top & bottom	(EACH)
JWP-A-26Z	2' x 6'	z-clip top & lip bottom	(EACH)
JWP-A-26ZZ	2' x 6'	z-clip top & bottom	(EACH)



FIRE/IMPACT WALL PADDING

- 2" thick fire-retardant and high impact foam with $\frac{7}{16}$ " Oriented Strand Board backing
- 14 oz. fire-retardant vinyl in a variety of colors
- Exceeds impact standards as defined in ASTM F2440-04
- Certified class A fire rating in accordance with NFPA 255/ASTM E-84

Call for freight quote.

Item #	Size	Description	UoM
JWP-AI-26	2' x 6'	lip top & bottom	(EACH)
JWP-AI-26Z	2' x 6'	z-clip top & lip bottom	(EACH)
JWP-AI-26ZZ	2' x 6'	z-clip top & bottom	(EACH)



CUSTOM SIZE PADDING FOR INDOOR FACILITIES

Jaypro Sports offers a variety of custom size padding for your indoor facility. L-shaped corners, I-Beam wraps and Column padding for both straight and tapered columns. Vinyl is available in 14 standard colors.



L-SHAPED CORNERS



Ideal for a setting where any exposed obstruction must be completely covered on all sides. Found in indoor facilities.

- Fire retardant vinyl
- High impact foam
- Variety of attachment methods

Specify pad color when ordering. Call for pricing, details, and freight quote.

VINYL PAD COLORS: *Specify pad color when ordering*



I-BEAM WRAP



Protect exposed I-beams. Designed to wrap the face and front edges of the beam.

- Fire retardant vinyl
- High impact foam
- Hook-and-loop attachment

Specify pad color when ordering. Call for pricing, details, and freight quote.



COLUMN PADDING



Protect exposed straight or tapered columns commonly found in indoor facilities.

- Fire retardant vinyl
- High impact foam
- Variety of attachment methods

Specify pad color when ordering. Call for pricing, details, and freight quote.

CUSTOM SIZE PADDING FOR INDOOR FACILITIES



STAGE PADDING



Pads designed specifically for stage applications.

*Specify pad color when ordering.
Call for pricing, details, and
freight quote.*

- Folding design permits easy storage access
- High impact foam with fire retardant vinyl
- Variety of attachment methods

VINYL PAD COLORS:



RED



NAVY
BLUE



FOREST
GREEN



BLACK



ROYAL
BLUE



GRAY



MAROON



PURPLE



KELLY
GREEN



YELLOW



PINK



TAN



ORANGE



LIGHT
BLUE

WALL PAD GRAPHICS

Customize your gymnasium with your team logo or school graphics. Contact customer service at 800-243-0533 for Custom Graphics information and Pricing.





DUAL PURPOSE WALL/TUMBLING MAT



Serves as wall padding or as a tumbling mats.

- 4' x 6' non-folding mat with 4 handles
- 2" thick vinyl covered foam pad
- 1½" wide hook-and-loop closures on all sides
- 1 Year Limited Warranty

Specify pad color when ordering.

GMVH-1 (EACH)



HOOK-AND-LOOP CLOSURE WALL HANGING STRIP



For use with Dual Purpose Wall/Tumbling Mat (GMVH-1).

- 2" wide aluminum strip
- Pressure sensitive 1½" wide hook-and-loop closure securely bonds to aluminum strip for long lasting use
- Only available in 4' sections
- 1 Year Limited Warranty

VMH-13 (EACH)

GYM GUARD FLOOR COVER



Protect gymnasium floor during non-athletic events with durable, flame-retardant and fungal resistant fabric.

- Meets Fire Marshall specifications, and ASTM E-84, Class A specs
- 6"-12" overlap recommended
- 1 Year Limited Warranty
- 18, 22, and 27 oz. options

10' wide standard size. 18 oz. only available in solid colors. Specify dimensions and fabric color when ordering. Call for freight quote.

18 oz Floor Cover GGFPS-16 (SQ FT)

22 oz Floor Cover GGFPS-22 (SQ FT)

27 oz Floor Cover GGFPS-24 (SQ FT)



FLOOR COVER STORAGE RACK



- All steel construction
- 8" dia. non-marking wheels lock and swivel
- 2 hand cranks included
- 1 Year Limited Warranty

Call for freight quote.

6 Roll Rack MSR-6 (EACH)

8 Roll Rack MSR-8 (EACH)

10 Roll Rack MSR-10 (EACH)



Color options: Tan, Brown/Tan, Royal Blue, Tan/Royal Blue, Light Gray, Red, Green, Burgundy, Tan/Burgundy, Kelly Green, Navy Blue, Dark Gray, Black, Orange and Yellow.



MSR-8

SHIPPING NOTICE

Extended forklift or loading dock required to unload the safety storage racks.



DESIGNED TO PERFORM.
MANUFACTURED TO LAST.™

JAYPRO SPORTS
IS GOING GREEN 

Jaypro Sports, LLC
976 Hartford Turnpike, Waterford, CT 06385

P: 800-243-0533	F: 800-988-3363
info@jaypro.com	www.Jaypro.com